

ulster™  
[www.ulstercarpets.com](http://www.ulstercarpets.com)

# watercolours



# amulet

“These effortless textures are layered over classic designs to give an antiqued effect - that of a textile treasured over time so only fragments of the pattern remain.”




Amulet Ombre 11/20090










Brimstone 12/20091



Ombre 11/20090

———— 80% wool 20% nylon - suitable for heavy contract ————






Alchemy 93/20094




Seaglass 91/20092

—— Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m ——



Savannah 15/20103



Ocean 31/20103

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m





Celeste 13/20103



# Mineral


*“Deliberate yet whimsical brush strokes evoke feelings of sky and water as they run and blend into the surface of the canvas.”*












Brimstone 12/20089



Ombre 11/20089

—— 80% wool 20% nylon - suitable for heavy contract ——






Alchemy 93/20089




Seaglass 91/20089

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m






Savannah 15/20089



Azores 32/20089

—— 80% wool 20% nylon - suitable for heavy contract ——





Zenith 14/20089



Celeste 13/20089

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m



Seaglass 91/20089





Alchemy 93/20089

# Technical Specs

## Suitability

Heavy Contract /  
Extra Heavy Domestic

## Pile Yarn

80% Wool (mothproofed)  
/ 20% Nylon

## Widths

4,57m, 3,66m, 2,74m  
1,83m & 0,91m

## Pile Height

7.14mm (0.281")

## Pitch

27.56 per dm (7 per inch)

## Rows

35.43 per dm (9 per inch)

## Total Pile Weight

1358g/m<sup>2</sup> (40 oz/yd<sup>2</sup>)  
+/-10%

## Repeat

91.4cm (36") Half Drop

## Qualité

Usage commercial  
intensif / Usage  
domestique très intensif

## Composition du fil

80% Laine (traité à  
l'antimite) / 20% Nylon

## Largeurs

4,57m, 3,66m, 2,74m  
1,83m & 0,91m

## Hauteur de velours

7,14mm au-dessus du  
dossier

## Serrage chaîne

27,56 par 10cm

## Serrage trame

35,43 par 10cm, serrage  
9"

## Poids total de velours

1358g/m<sup>2</sup> +/-10%

## Raccord sauté

91,4cm

## Qualität

Starke Nutzung im  
Objektbereich / Sehr starke  
Nutzung im Privatbereich

## Polzusammensetzung

80% Schurwolle  
(Mottenschutz-Behandlung)  
/ 20% Nylon

## Breiten

4,57m, 3,66m, 2,74m 1,83m  
& 0,91m

## Polhöhe

7,14mm

## Kettdichte

27,56 pro 10cm

## Schussdichte

35,43 pro 10cm, 9 Schuss

## Poleinsatzgewicht

1358g/m<sup>2</sup> +/-10%

## Rapport

91,4cm halb versetzt



<b>Design</b>	<b>Colour</b>	<b>Design Reference</b>
Amulet	Atmosphere	92/20093
Amulet	Alchemy	93/20094
Amulet	Brimstone	12/20091
Amulet	Ocean	31/20103
Amulet	Ombre	11/20090
Amulet	Celeste	13/20103
Amulet	Seaglass	91/20092
Amulet	Savannah	15/20103
Mineral	Atmosphere	92/20089
Mineral	Alchemy	93/20089
Mineral	Azores	32/20089
Mineral	Brimstone	12/20089
Mineral	Celeste	13/20089
Mineral	Ombre	11/20089
Mineral	Savannah	15/20089
Mineral	Seaglass	91/20089
Mineral	Zenith	14/20089



# ulster™

[www.ulstercarpets.com](http://www.ulstercarpets.com)

Castleisland Factory | Craigavon | BT62 1EE | Northern Ireland  
T: +44 (0)28 3833 4433 | F: +44 (0)28 3833 3142

North America:  
Great Britain:  
Europe:  
Ireland:  
Dubai:

[ucamerica@ulstercarpets.com](mailto:ucamerica@ulstercarpets.com)  
[uclondon@ulstercarpets.com](mailto:uclondon@ulstercarpets.com)  
[uceurope@ulstercarpets.com](mailto:uceurope@ulstercarpets.com)  
[ucireland@ulstercarpets.com](mailto:ucireland@ulstercarpets.com)  
[ucdubai@ulstercarpets.com](mailto:ucdubai@ulstercarpets.com)