

ulster™
www.ulstercarpets.com

watercolours



amulet

“These effortless textures are layered over classic designs to give an antiqued effect - that of a textile treasured over time so only fragments of the pattern remain.”



Amulet Ombre 11/20090





Brimstone 12/20091



Ombre 11/20090

———— 80% wool 20% nylon - suitable for heavy contract ————




Alchemy 93/20094




Seaglass 91/20092

—— Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m ——



Savannah 15/20103



Ocean 31/20103

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m




Celeste 13/20103

Mineral

“Deliberate yet whimsical brush strokes evoke feelings of sky and water as they run and blend into the surface of the canvas.”








Brimstone 12/20089



Ombre 11/20089

—— 80% wool 20% nylon - suitable for heavy contract ——




Alchemy 93/20089




Seaglass 91/20089

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m




Savannah 15/20089



Azores 32/20089

—— 80% wool 20% nylon - suitable for heavy contract ——



Zenith 14/20089



Celeste 13/20089

Widths available: 4.57m, 3.66m, 2.74m, 1.83m & 0.91m



Seaglass 91/20089



Alchemy 93/20089

Technical Specs

Suitability

Heavy Contract /
Extra Heavy Domestic

Pile Yarn

80% Wool (mothproofed)
/ 20% Nylon

Widths

4,57m, 3,66m, 2,74m
1,83m & 0,91m

Pile Height

7.14mm (0.281")

Pitch

27.56 per dm (7 per inch)

Rows

35.43 per dm (9 per inch)

Total Pile Weight

1358g/m² (40 oz/yd²)
+/-10%

Repeat

91.4cm (36") Half Drop

Qualité

Usage commercial
intensif / Usage
domestique très intensif

Composition du fil

80% Laine (traité à
l'antimite) / 20% Nylon

Largeurs

4,57m, 3,66m, 2,74m
1,83m & 0,91m

Hauteur de velours

7,14mm au-dessus du
dossier

Serrage chaîne

27,56 par 10cm

Serrage trame

35,43 par 10cm, serrage
9"

Poids total de velours

1358g/m² +/-10%

Raccord sauté

91,4cm

Qualität

Starke Nutzung im
Objektbereich / Sehr starke
Nutzung im Privatbereich

Polzusammensetzung

80% Schurwolle
(Mottenschutz-Behandlung)
/ 20% Nylon

Breiten

4,57m, 3,66m, 2,74m 1,83m
& 0,91m

Polhöhe

7,14mm

Kettdichte

27,56 pro 10cm

Schussdichte

35,43 pro 10cm, 9 Schuss

Poleinsatzgewicht

1358g/m² +/-10%

Rapport

91,4cm halb versetzt

Design	Colour	Design Reference
Amulet	Atmosphere	92/20093
Amulet	Alchemy	93/20094
Amulet	Brimstone	12/20091
Amulet	Ocean	31/20103
Amulet	Ombre	11/20090
Amulet	Celeste	13/20103
Amulet	Seaglass	91/20092
Amulet	Savannah	15/20103
Mineral	Atmosphere	92/20089
Mineral	Alchemy	93/20089
Mineral	Azores	32/20089
Mineral	Brimstone	12/20089
Mineral	Celeste	13/20089
Mineral	Ombre	11/20089
Mineral	Savannah	15/20089
Mineral	Seaglass	91/20089
Mineral	Zenith	14/20089



ulster™

www.ulstercarpets.com

Castleisland Factory | Craigavon | BT62 1EE | Northern Ireland

T: +44 (0)28 3833 4433

North America:

Great Britain:

Europe:

Ireland:

Dubai:

ucamerica@ulstercarpets.com

uclondon@ulstercarpets.com

uceurope@ulstercarpets.com

ucireland@ulstercarpets.com

ucdubai@ulstercarpets.com